

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	178	360/264.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 11:37
S2	278	360/245.9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 11:11
S3	232	360/245.9.ccls. and (cable or circuit or flex)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 11:12
S4	74	360/245.9.ccls. and ((cable or circuit) near5 flex)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 11:26
S5	18	(Head adj arm adj assembly) and suspension and (flex near5 (cable or cuircuit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 11:30
S6	43	((load adj beam) and suspension) near5 (mak\$3 or manufactur\$3 or assembl\$3) and (flex near5 (cable or cuircuit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 11:32
S7	133	360/244.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 11:53
S8	103260	"360"/\$.ccls. (suspension or flexure or (load adj beam)) near5 weld\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 11:54
S9	845	"360"/\$.ccls. and (suspension or flexure or (load adj beam)) near5 weld\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 11:54

EAST Search History

S10	8	S8 and (welding adj pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 11:56
S11	105	S8 and (weld\$3 near5 pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 12:06
S12	37	(weld\$3 near5 pin near5 copper)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 12:12
S13	101343	"360"/\$.ccls. or "369"/\$.ccls. and (weld\$3 near5 pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 12:13
S14	41	"360"/\$.ccls. and (weld\$3 near5 pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 12:15
S15	13	"369"/\$.ccls. and (weld\$3 near5 pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 12:13
S16	506	"29"/\$.ccls. and (weld\$3 near5 pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 13:23
S17	86	"29"/\$.ccls. and (weld\$3 near5 pin) and arm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 12:23
S18	0	"29"/\$.ccls. and (weld\$3 near5 pin) and (load adj beam)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 12:25
S19	177	(actuator adj arm) near5 weld\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 12:25

EAST Search History

S20	2	"6061896".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 13:22
S21	2	"29"/603.03.ccls. and (weld\$3 near5 pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 13:24
S22	344	"29"/603.03.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/13 13:24
S23	18	("4796122" "4943875" "4947275" "4991045" "5185683" "5198945" "5296984" "5313355" "5323284" "5355267" "5390060" "5428489" "5461525" "5495375" "5497282" "5579190" "5631789" "5657531").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/13 13:26
S24	18	("4796122" "4943875" "4947275" "4991045" "5185683" "5198945" "5296984" "5313355" "5323284" "5355267" "5390060" "5428489" "5461525" "5495375" "5497282" "5579190" "5631789" "5657531").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/13 13:39